



Shenzhen Hongyitai Technology Co.,Ltd

Website: <https://safelith.com/>

Email: sales@safelith.com

Model	Model	Capacity (mAh)	Voltage (V)	Resistance (mΩ)	Thick (mm)	Width (mm)	Length (mm)
0830	350830	≥60	≥3.7	≤350	≤3.5	≤8.2	≤30.5
	400830	≥70	≥3.7	≤300	≤4.2	≤8.3	≤30.5
	450830	≥80	≥3.7	≤250	≤4.5	≤8.3	≤30.5
0930	400930	≥80	≥3.7	≤300	≤4.0	≤9.5	≤30.5
0938	450938	≥130	≥3.7	≤220	≤4.5	≤9.2	≤38.5
	550938	≥160	≥3.7	≤220	≤5.5	≤9.0	≤38.5
1020	701020	≥90	≥3.7	≤200	≤7.0	≤10.0	≤20.5
1030	501030	≥100	≥3.7	≤250	≤5.0	≤10	≤30.5
	451030	≥100	≥3.7	≤250	≤4.5	≤10	≤30.5
1035	551035	≥150	≥3.7	≤200	≤5.5	≤10.5	≤35.5
1038	501038	≥170	≥3.7	≤150	≤5.2	≤10.0	≤38.5
1045	501045	≥230	≥3.7	≤150	≤5.0	≤10.0	≤45.5
1139	501139	≥180	≥3.7	≤150	≤5.0	≤11.5	≤39.5
1220	701220	≥125	≥3.7	≤180	≤7.0	≤12.0	≤20.5
1331	521331G	≥200	≥3.7	≤120	≤5.2	≤13.0	≤31.5
	951331G	≥300	≥3.7	≤110	≤9.5	≤13.0	≤31.5
1430	421430	≥120	≥3.7	≤180	≤4.3	≤14.0	≤30.5
	551430	≥180	≥3.7	≤150	≤5.5	≤14.0	≤30.5
	601430	≥250	≥3.85	≤110	≤6.0	≤14.0	≤30.5
1429	701439	≥270	≥3.7	≤120	≤7.0	≤14.0	≤29.5
1518	501518	≥100	≥3.85	≤210	≤5.0	≤15.0	≤18.0
1520	401520	≥100	≥3.7	≤200	≤4.0	≤15.5	≤20.5
1525	361525	≥125	≥3.7	≤200	≤3.6	≤15.5	≤25.5
	401525	≥110	≥3.7	≤220	≤4	≤15	≤25
	481525	≥110	≥3.7	≤200	≤4.8	≤15.5	≤25.5
1530	901530	≥350	≥3.7	≤100	≤9.0	≤15.0	≤30.5
1540	401540	≥190	≥3.7	≤150	≤4	≤15	≤40
1622	451626	≥200	≥3.7	≤180	≤4.5	≤16.5	≤26.5
1626	401622G	≥110	≥3.7	≤210	≤4.0	≤16.5	≤22.5
1635	751635	≥400	≥3.7	≤100	≤7.5	≤16.5	≤35.5
1722	801722	≥200	≥3.7	≤200	≤8.0	≤17.5	≤22.5
1730	301730	≥115	≥3.7	≤160	≤3.0	≤17.5	≤30.5
	401730	≥180	≥3.7	≤130	≤4.1	≤17.5	≤30.5
	451730	≥200	≥3.7	≤120	≤4.5	≤17.5	≤30.5
	501730	≥200	≥3.7	≤120	≤5.1	≤17.5	≤30.5
	601730	≥260	≥3.7	≤140	≤6	≤17	≤30
	611730P	≥300	≥3.7	≤100	≤6.1	≤17.5	≤30.5
1834	901834	≥500	≥3.7	≤80	≤9.5	≤18.5	≤34.5
1934	801934	≥500	≥3.7	≤80	≤8.0	≤19.0	≤34.5
1990	801990	≥1600	≥3.85	≤50	≤8.0	≤19.5	≤90.5
2024	822024	≥400	≥3.7	≤90	≤8.2	≤20.5	≤24.5
2025	303025	≥90	≥3.7	≤240	≤3.0	≤20.5	≤20.5
	402025	≥160	≥3.7	≤150	≤4.1	≤20.5	≤25.5
	502025	≥200	≥3.7	≤120	≤5.1	≤20.5	≤25.5
	602025	≥250	≥3.7	≤120	≤6.1	≤20.5	≤25.5
	602025P	≥250	≥3.7	≤90	≤6.1	≤20.5	≤25.5

	702025	≥300	≥3.7	≤90	≤7.0	≤20.5	≤25.5
2027	302027	≥150	≥3.7	≤150	≤3.0	≤20.5	≤27.5
	402027	≥180	≥3.7	≤130	≤4.0	≤20.5	≤27.5
	402027P	≥180	≥3.7	≤100	≤4.0	≤20.5	≤27.5
	402028	≥180	≥3.7	≤130	≤4.1	≤20.5	≤28.5
2028	592028	≥300	≥3.7	≤110	≤5.9	≤20.0	≤28.5
	302030	≥130	≥3.7	≤180	≤3.0	≤20.5	≤30.5
2030	382030	≥170	≥3.7	≤150	≤3.9	≤20.5	≤30.5
	402030	≥200	≥3.7	≤120	≤4.2	≤20.5	≤30.5
	502030	≥250	≥3.7	≤100	≤5.1	≤20.5	≤30.5
	602030	≥300	≥3.7	≤100	≤6.0	≤20.5	≤30.5
	642030	≥380	≥3.7	≤100	≤6.4	≤20.5	≤30.5
	902030	≥500	≥3.7	≤100	≤9.0	≤20.5	≤30.8
	352035G	≥200	≥3.7	≤150	≤3.5	≤20.5	≤35.5
2035	402035G	≥250	≥3.7	≤150	≤4.1	≤20.5	≤35.5
	502035G	≥300	≥3.7	≤120	≤5.0	≤20.5	≤35.5
	552035	≥350	≥3.7	≤100	≤5.5	≤20	≤35
	602035G	≥400	≥3.7	≤100	≤6.2	≤20.5	≤35.5
	752035G	≥500	≥3.7	≤80	≤7.5	≤20.5	≤35.8
	802035G	≥500	≥3.7	≤80	≤8.0	≤20.5	≤35.8
	902035	≥520	≥3.7	≤80	≤9	≤20	≤35
	402040	≥300	≥3.7	≤120	≤4	≤20	≤40
2040	582040	≥450	≥3.7	≤80	≤5.8	≤20.5	≤40.5
	602040	≥450	≥3.7	≤80	≤6.0	≤20.5	≤40.5
	702040	≥480	≥3.7	≤80	≤7.0	≤20.5	≤40.5
	802040	≥580	≥3.7	≤80	≤8.0	≤20.5	≤40.5
	902040	≥650	≥3.7	≤80	≤9.0	≤20.5	≤40.5
	402040	≥300	≥3.85	≤110	≤4.0	≤20.0	≤40.5
	562045	≥450	≥3.7	≤80	≤5.6	≤20.5	≤45.5
2045	502045	≥550	≥3.85	≤80	≤5.0	≤20.0	≤45.5
	802045	≥700	≥3.7	≤80	≤8	≤20	≤40.5
	602046	≥500	≥3.7	≤80	≤6	≤20	≤46
2046	902050	≥800	≥3.85	≤70	≤9.0	≤20.0	≤50.5
2050	102050	≥1000	≥3.7	≤70	≤10.0	≤20.5	≤50.5
	802060	≥1000	≥3.7	≤60	≤8	≤20	≤60
2060	902060	≥1100	≥3.7	≤80	≤9	≤20	≤60
	362121	≥150	≥3.7	≤160	≤3.6	≤21.5	≤21.5
2121	392121	≥170	≥3.7	≤160	≤3.9	≤21.5	≤21.5
	852148	≥860	≥3.7	≤80	≤8.5	≤21	≤48.5
2148	352224	≥180	≥3.7	≤160	≤3.5	≤22.5	≤24.5
2224	382224	≥200	≥3.7	≤160	≤3.8	≤22.5	≤24.5
	572224	≥300	≥3.85	≤110	≤5.7	≤22.0	≤24.5
	952235	≥650	≥3.7	≤90	≤9.5	≤22.5	≤35.5
2235	402245	≥400	≥3.7	≤100	≤4	≤22	≤45
2245	852148	≥860	≥3.7	≤80	≤8.5	≤21.5	≤48.5
2148	302248	≥250	≥3.7	≤150	≤3.0	≤22.5	≤48.5
2248	902248	≥950	≥3.7	≤70	≤9	≤22	≤48
	302323	≥90	≥3.7	≤260	≤3.3	≤23.5	≤23.5
2323	302323	≥120	≥3.7	≤200	≤3.2	≤23.5	≤23.5
	502339	≥420	≥3.7	≤90	≤5.0	≤23.5	≤39.5
2339	722339	≥600	≥3.7	≤80	≤7.2	≤23.5	≤39.8
	502447	≥700	≥3.7	≤80	≤5.0	≤24.5	≤47.5
2447	452525	≥250	≥3.7	≤150	≤4.5	≤25	≤25

2525	482525	≥250	≥3.7	≤150	≤4.8	≤25	≤25
	802525	≥400	≥3.7	≤100	≤8.0	≤25	≤25.5
	902525	≥500	≥3.7	≤100	≤9.0	≤25	≤25.5
2530	402530G	≥250	≥3.7	≤150	≤4.0	≤25.5	≤30.5
	502530G	≥300	≥3.7	≤130	≤5.0	≤25.5	≤30.5
	552530	≥350	≥3.7	≤120	≤5.5	≤25	≤30
	602530	≥450	≥3.7	≤120	≤6.1	≤25.5	≤30.5
	602530	≥400	≥3.7	≤120	≤6.0	≤25.5	≤30.5
	802530	≥600	≥3.7	≤100	≤8.0	≤25.5	≤30.5
2535	402535G	≥320	≥3.7	≤120	≤4.1	≤25.5	≤35.5
	452535	≥350	≥3.7	≤110	≤4.6	≤25.5	≤35.5
	502535G	≥400	≥3.7	≤100	≤5.0	≤25.5	≤35.5
	552535G	≥450	≥3.7	≤100	≤5.5	≤25.5	≤35.5
	602535G	≥500	≥3.7	≤90	≤6.0	≤25.5	≤35.5
	802535G	≥700	≥3.7	≤80	≤8.0	≤25.5	≤35.5
	702535	≥650	≥3.7	≤90	≤7.2	≤25.5	≤35.5
	752535	≥650	≥3.7	≤90	≤7.5	≤25.5	≤35.5
	852535	≥800	≥3.7	≤80	≤8.5	≤25.5	≤35.5
102535	≥850	≥3.7	≤80	≤10.0	≤25.5	≤36.5	
2540	802540G	≥800	≥3.7	≤80	≤8.0	≤25.5	≤40.5
	802540	≥900	≥3.85	≤70	≤8.0	≤25.0	≤40.5
	802540	≥800	≥3.85	≤70	≤8.0	≤25.0	≤40.5
	102540	≥1100	≥3.7	≤60	≤10.0	≤25.0	≤40.5
2544	902544	≥1150	≥3.7	≤60	≤9	≤25	≤44
2550	602550	≥730	≥3.7	≤70	≤6.0	≤25.5	≤49.5
2560	602560	≥1000	≥3.7	≤70	≤6.0	≤25.5	≤60.5
2844	402844	≥510	≥3.7	≤90	≤4.0	≤28.5	≤44.5
2850	542850	≥750	≥3.7	≤80	≤5.4	≤28	≤50
2921	602921	≥270	≥3.7	≤120	≤6.0	≤29	≤21
2938	802938	≥1100	≥3.85	≤70	≤8.0	≤29	≤38.5
2626	952626	≥700	≥3.7	≤90	≤9.5	≤26	≤26.5
	242626	≥150	≥3.85	≤160	≤2.4	≤26	≤26.0
3030	403030G	≥300	≥3.7	≤110	≤4.0	≤30.5	≤30.5
	503030G	≥400	≥3.7	≤100	≤5.0	≤30.5	≤30.5
	553030	≥500	≥3.7	≤80	≤5.5	≤30	≤30
	603030G	≥520	≥3.7	≤90	≤6.1	≤30.5	≤30.5
	803030	≥700	≥3.7	≤80	≤8	≤30	≤30
	103030	≥800	≥3.7	≤70	≤10	≤30.2	≤30.5
3033	103033	≥1000	≥3.7	≤60	≤10	≤30	≤33
3035	403035	≥400	≥3.7	≤100	≤4.0	≤30.5	≤35.5
	403035	≥430	≥3.7	≤100	≤4.1	≤30.5	≤35.5
	503035G	≥500	≥3.7	≤100	≤5.0	≤30.5	≤35.5
	503035	≥540	≥3.7	≤80	≤5.1	≤30.5	≤35.5
	753035	≥750	≥3.7	≤70	≤7.5	≤30.5	≤35.5
	803035	≥800	≥3.7	≤70	≤8.0	≤30.5	≤35.5
	103035	≥1000	≥3.7	≤60	≤10.0	≤30.5	≤35.5
3038	303038	≥320	≥3.7	≤130	≤3.0	≤30.5	≤38.5
	423038	≥450	≥3.7	≤120	≤4.0	≤30.5	≤38.5
3040	303040G	≥300	≥3.7	≤150	≤3.1	≤30.5	≤40.5
	403040G	≥400	≥3.7	≤120	≤4.0	≤30.5	≤40.5
	503040	≥600	≥3.7	≤100	≤5.0	≤30.5	≤40.5
	603040G	≥700	≥3.7	≤80	≤6.0	≤30.5	≤40.5

	753040G	≥800	≥3.7	≤80	≤7.5	≤30.5	≤40.5
	803040G	≥1000	≥3.7	≤80	≤8.0	≤30.5	≤40.5
	103040	≥1200	≥3.7	≤60	≤10	≤30.5	≤40
3048	403048	≥600	≥3.7	≤90	≤4.0	≤30.5	≤48.5
	503048	≥700	≥3.7	≤80	≤5	≤30	≤48
	603048	≥950	≥3.7	≤60	≤6	≤30	≤48
	803048	≥1200	≥3.7	≤60	≤8.0	≤30.5	≤48.5
	103048	≥1500	≥3.7	≤60	≤10	≤30	≤48
3060	723060	≥1450	≥3.7	≤60	≤7.2	≤30.5	≤60.5
3245	803245	≥1000	≥3.7	≤70	≤8.2	≤32.5	≤45.5
3250	103250	≥2000	≥3.7	≤70	≤10.0	≤32.5	≤50.5
3343	423343	≥600	≥3.7	≤90	≤4.2	≤33.5	≤43.5
3448	103448	≥1500	≥3.7	≤60	≤10	≤34	≤48
3450	523450	≥800	≥3.7	≤70	≤5.2	≤34.5	≤50.5
	523450	≥1000	≥3.7	≤70	≤5.2	≤34.5	≤50.5
	553450	≥1000	≥3.7	≤60	≤5.5	≤34	≤50
	603450	≥1100	≥3.7	≤60	≤6	≤34	≤50
	803450	≥1500	≥3.7	≤70	≤8.0	≤34.5	≤50.5
	103450	≥1800	≥3.7	≤70	≤10.0	≤34.5	≤50.5
	103450	≥2000	≥3.7	≤70	≤10.0	≤34.5	≤50.5
	603450	≥1200	≥3.85	≤60	≤6.0	≤34.0	≤50.5
	403450	≥800	≥3.85	≤70	≤4.0	≤34.0	≤50.0
3540	603540	≥800	≥3.7	≤80	≤6	≤35	≤40.5
3740	103740	≥1600	≥3.7	≤60	≤10	≤37	≤40
3749	723749	≥1600	≥3.7	≤60	≤7.2	≤37.5	≤49.5
3759	363759	≥800	≥3.7	≤80	≤3.6	≤37.5	≤59.5
	503759	≥1200	≥3.7	≤60	≤5.0	≤37.5	≤59.5
4040	604040	≥1000	≥3.7	≤60	≤6	≤40	≤39.5
	904040	≥1400	≥3.7	≤60	≤9	≤40	≤40
	954040	≥1600	≥3.7	≤60	≤9.5	≤40	≤40
4045	804045	≥1250	≥3.7	≤60	≤8	≤40	≤45
4048	854048	≥1670	≥3.7	≤60	≤8.6	≤40	≤48.5
4050	104050	≥2200	≥3.7	≤60	≤10	≤40	≤50.5
	434050	≥920	≥3.7	≤60	≤4.3	≤40	≤50
	454050	≥800	≥3.7	≤60	≤4.5	≤40	≤50
4060	684060	≥2000	≥3.7	≤60	≤6.8	≤40	≤60
4070	824070	≥2300	≥3.7	≤40	≤8.2	≤40	≤70
4141	294141	≥450	≥3.7	≤80	≤2.9	≤41	≤41
4250	114250	≥2500	≥3.7	≤50	≤11	≤42	≤50.5
	854250	≥2000	≥3.7	≤60	≤8.5	≤42	≤50
4253	504253	≥1200	≥3.7	≤60	≤5	≤42	≤53
4850	904850	≥2400	≥3.7	≤60	≤9	≤48	≤50
5080	505080	≥2000	≥3.7	≤50	≤5	≤50	≤80
	605080	≥3000	≥3.7	≤60	≤6	≤50	≤80
6085	506085	≥3000	≥3.7	≤50	≤5	≤60	≤85

The above is our latest list of lithium polymer (LiPo) battery models.
Please contact us for customized LiPo batteries at sales@safelith.com